

Annual Keyword Index

| | | | | | |
|--|------------------------|---|---------|-----------------------------------|-------------|
| 2'-2' Azinobis-(3-ethylbenthiiazoline 6 sulphonate) 5-HT receptor antagonist | 290 625 | ATP | 391 | Cerebral ischemia | 391 |
| A549 cells | 853 | Avian influenza | 179 | C-fiber | 633 |
| Abortifacient | 702 | <i>Bacillus licheniformis</i> | 569 | C-Flip | 247 |
| Acetylcholine | 883 | <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> | 65 | <i>Chaetomium globosum</i> | 826 |
| AChE activity | 690 | <i>Bacillus thuringiensis</i> | 265 | Chlorpromazine | 862 |
| <i>Achyranthes aspera</i> | 201 | Bark extract | 708 | Chlorpyrifos | 110 |
| <i>Acorus calamus</i> | 51 | BAX | 464 | Chronic toxicity | 897 |
| ACTH | 744 | BCL-2 | 464 | Cilostazol | 128 |
| Adenocarcinoma | 953 | Behaviour | 7,696 | CIMAP-A1 | 559 |
| Adhesion | 602 | Benzamide | 80 | Cisplatin | 638 |
| Agarose gel electrophoresis | 491 | Bi-cistronic lentiviral vector | 669 | Classical swine fever virus | 459 |
| Ageing | 101 | Bile acids | 802 | <i>Cleome viscosa</i> seed oil | 502 |
| Alkaline protease | 569 | Binding free energy | 93 | Coconut cake | 65 |
| Altered gene expression | 531 | Biodegradation | 497 | Cognitive function | 889 |
| <i>Alternanthera brasiliana</i> | 56 | Bioelectricity | 430 | Cognitive impairment | 690 |
| Aluminum fluoride | 897 | Bioremediation | 430 | Cold stress | 110 |
| Aluminum | 897 | BmSXP recombinant antigen | 256 | Collagen | 56 |
| Alzheimer's disease | 41 | Bone | 223 | Complement | 542 |
| Amino acid metabolism | 652 | Boron | 223 | Copulation duration | 156 |
| Ammonia | 652 | Bovine oocytes | 839 | Corticosteroids | 398 |
| Amphibian development | 531 | BPA | 425 | Corticosterone | 744 |
| Ampicillin | 677 | Brain | 7 | Cost-effectiveness | 65 |
| Amyloid | 41 | Breast cancer cells | 602 | Cotyledonary node | 729 |
| Anaerobic metabolism | 577 | Breeding phase | 398 | Coulombic efficiency | 430 |
| Angiogenic | 551 | Brucellosis | 239 | Culture | 587 |
| Antibacterial activity | 491 | Brush border membrane composition | 45 | Curcumin | 128,853 |
| Antibiotic resistance | 300 | <i>Butea monosperma</i> | 476 | Cystone | 201 |
| Antibiotic | 718 | C6/36 cells | 265 | Cytokines | 677,889 |
| Anticancer activity | 464 | Cadmium | 141 | Depression | 625,771 |
| Antidepressant | 771 | Cadmium tolerance | 300 | Detergent compatibility | 569 |
| Anti-inflammatory | 413 | <i>Caesalpinia bonduc</i> | 910 | Detoxication agents | 187 |
| Antimicrobial | 714 | Cafeteria diet | 476,776 | Development | 147 |
| Antioxidant | 404,413 | Caffeine | 638 | Dexamethasone | 633 |
| Antioxidant activity | 795,875 | Calcium oxalate | 201 | Diabetes | 41,128,133 |
| Antioxidant enzymes | 517,677 | Calcium stearate | 497 | Diabetic nephropathy | 133,469,867 |
| Antioxidant property | 645 | Calcium | 7,223 | Diazepam | 862 |
| Antioxidants | 56,187,216,577 | Callus culture | 904 | Diet induced obesity | 776 |
| Antistress | 419 | Callus | 164 | Differentiation | 595 |
| Antiviral | 179 | Canine Parvo virus | 618 | DNA fragmentation | 839 |
| ANXA2 | 455 | Capsaicin | 633 | Docking | 93 |
| Aorta | 128 | Carbamazepine | 51 | Doxorubicin | 117 |
| Aortic ring | 883 | Carbohydrate | 735 | <i>Drosophila nasuta</i> subgroup | 156 |
| Apo-B | 216 | Cardiomyopathy | 117 | <i>E. coli</i> | 72,430 |
| Apolipoproteins | 802 | Carotenoids | 645 | EA-D | 708 |
| Apoptosis inducing factor | 80 | Caspase-3 | 464 | Ecllosion behaviour | 660 |
| Apoptosis | 19,117,187,247,638,853 | Catecholamine enzymes | 771 | Egg proteins | 232 |
| Arsenic | 147 | Catecholamine | 744 | Elicitors | 484 |
| <i>Arthrobacter globiformis</i> | 497 | Cathepsin | 80 | Embryonic testis | 247 |
| <i>Arthrobacter oxydans</i> | 497 | Cattle | 239 | Endogenous | 660 |
| <i>Asparagus racemosus</i> | 419,469,795 | Caveolin | 28 | Endophytic fungus | 464 |
| Aspartate | 391 | CBG | 744 | Endoplasmic reticulum | 7 |
| Atherogenic diet | 476 | CCl ₄ | 795 | Environmental influence | 531 |
| | | Cell death | 19 | Environmental salinity | 652 |
| | | <i>Cephalotheca faveolata</i> | 464 | Epithelium | 195 |
| | | Cerebral cortex enzymes | 110 | Epstein-Barr virus | 708 |

| | | | | | |
|------------------------------------|---------|------------------------------|-------------|--|---------|
| <i>Escherichia coli</i> | 300 | Humoral response | 270 | Madhucic acid | 862 |
| Essential oil | 714 | Hyaluronan | 839 | MAPK signaling | 853 |
| Esterases | 696 | Hyaluronic acid | 383 | Medicinal plant | 904 |
| Estrogen | 28 | Hydroxyproline | 277 | Membrane fluidity | 517 |
| <i>Eucommia ulmoides</i> | 875 | Hypertension | 883 | <i>Mentha</i> | 817 |
| <i>Eugenia jambolana</i> | 179,464 | Hypotension | 425 | Mesenchymal stem cells | 383 |
| Excised wound | 277 | Hypothalamus | 447 | Metalloproteinase | 602 |
| Excision wound | 551 | Hypoxic stress | 744 | Met-hemoglobin | 847 |
| Experimental burn | 56 | | | MFC | 430 |
| FACS | 517 | Immunoglobulin | 542 | Mice | 638 |
| Fas/FasL | 247 | Immunomodulator | 270 | Mice offspring | 696 |
| Fatty acid composition | 282 | Immunomodulatory activity | 612 | Microalbuminuria | 133,469 |
| Fatty acids | 223 | <i>In ovo</i> | 179 | Microbial pigments | 645 |
| Female albino rat | 702 | <i>In vitro</i> rooting | 729 | Micropropagation | 810,817 |
| Female remating | 156 | <i>In vivo</i> imaging | 669 | Microshoots | 729 |
| Fish | 398 | Incised wound | 277 | Microwave radiation | 889 |
| Fluorescence anisotropy | 491 | Incision wound | 551 | Migration | 602 |
| Fluorescent tag | 669 | Indirect immuno fluorescence | | Migratory fish | 652 |
| Fluoride | 897 | assay | 265 | Mitral cells | 755,765 |
| Follicle | 595 | Inflammation | 633,677,889 | MnCl ₂ | 65 |
| Food supplements | 413 | Insecticides | 439 | MoLE | 404 |
| Forced swim test | 625 | Insulin | 41,776 | Monoclonal antibodies | 459 |
| FRET | 669 | Invasion | 602 | Monosodium glutamate | 476 |
| | | Invertase | 735 | Monosodium iodoacetate | 383 |
| | | IVM | 839 | <i>Moringa oleifera</i> | 404 |
| Gamma radiation | 209 | Juvenile fish | 583 | <i>Moringa olifera</i> | 270 |
| Gamma radiation | 209 | Kidney | 141 | Mortality | 232 |
| Gelatinous coating | 569 | | | <i>Mortierella isabellina</i> | 282 |
| Gene cloning | 826 | Lamina propria | 195 | CGMCC 3.34100 | |
| Gene expression | 771 | L-deprenyl | 101 | Mosquito larvae | 65 |
| Geraniol | 714 | LDH | 216 | Mosquito | 439 |
| Geranium | 559 | Leaf | 404 | Multiple cloning site | 669 |
| Gestational diabetes | 45 | Leptin | 776 | Multiple unit action potentials | 101 |
| Gestational exposure | 147 | Lethal dose | 425 | Na ⁺ , K ⁺ -ATPase | 101 |
| Glands | 195 | <i>Leucobryum bowringii</i> | 602 | NAFLD | 404 |
| Glargine | 867 | Light-dark aversion test | 625 | Naloxone | 61 |
| Glutamate | 391 | Lignin peroxidase | 290 | Nanoemulsion | 785 |
| Glutathione | 391 | Linezolid resistance | 718 | Natural dye yielding plant | 810 |
| <i>Glycine max</i> | 729 | Linoleic acid rich oil | 502 | Natural food colourants | 645 |
| Glycosaminoglycans | 133 | Linoleic acid | 847 | Nephrolithiasis | 201 |
| Granulosa cells | 595 | Lipid levels | 802 | Net treatment | 439 |
| Gymnemic acid phospholipid complex | 117 | Lipid peroxidation | 187,209,216 | Neurobehavioural endpoints | 147 |
| | | Lipid peroxides | 216 | Neuropharmacological effect | 862 |
| H5N1 | 179 | Lipogenic enzymes | 802 | Neuroprotection | 391 |
| Hairy roots | 484 | Lipoprotein lipase | 802 | Neuroregeneration | 765 |
| Heart | 771 | Liposomal membrane | 491 | Neurotrophic factors | 765 |
| <i>Hedychium coronarium</i> | 904 | Lipoxygenase | 847 | <i>Nigella sativa</i> | 413 |
| Hemoglobin | 847 | Lithium | 696 | <i>N-n-butylquinoxalin-</i> | |
| Hepatoprotection | 404,795 | Liver | 141,209 | 2-carboxamide | 625 |
| Hepatoprotective activity | 785 | Local field potentials | 755 | Nodal explants | 810 |
| Herbal | 179,776 | Locomotor activity test | 696 | Non edible biodiesel oil | 502 |
| High fat diet | 216,404 | Lonar soda lake | 569 | NS1 gene | 618 |
| High salinity & low pH | 531 | Long acting insulin | 867 | Nuclear receptors | 35 |
| Hippocampus | 101 | LXR | 35 | Nucleus accumbens | 447 |
| HIV-I | 669 | Lymphatic filariasis | 256 | Nutrient | 270 |
| HLA-B*4006 | 93 | Lymphocyte | 587 | Obesity | 216,476 |
| Hoechst 33258 | 517 | Lytic cycle | 708 | Oil content | 282 |
| Homology-modeling | 93 | | | Oleaginous strain | 282 |
| Hormones | 223 | <i>M. tuberculosis</i> | 542 | Olfactory bulb | 765 |
| Hot plate test | 61 | <i>Madhuca longifolia</i> | 862 | Olfactory bulbectomy | 625 |
| Human vestibular schwannoma | 19 | | | | |

| | | | | | |
|------------------------------------|---------|------------------------------|----------|--------------------------------------|---------|
| Olfactory tract transaction | 755,765 | Reactive oxygen species | 209,677, | <i>Streptomyces xinghaiensis</i> | 718 |
| Olive oil | 802 | | 853 | Streptozotocin | 41,469, |
| Optimization | 72 | Reactive Red 195 | 290 | | 867 |
| Ornithine-urea cycle | 652 | Real-time PCR | 765 | Stress tolerance | 826 |
| <i>Oryza sativa</i> | 164 | Receptor binding | 265 | Stress | 447,633 |
| Osmotic stress | 652 | Recombinant CGTase | 72 | <i>Strobilanthes flaccidifolious</i> | 810 |
| Osteoarthritis rat model | 383 | Red flour beetle | 232 | Sucrose synthase | 735 |
| Ovariectomy | 28 | Redox status | 853 | Synovial inflammation | 677 |
| Ovary | 595 | Reduomycin | 718 | Synthetic medium | 290 |
| Oxidative stress | 117,889 | Regeneration | 755 | | |
| Oxodienes | 847 | Reproductive isolation | 156 | Tamarind | 897 |
| | | Resistance | 265 | Telomerase | 595 |
| PanLF Rapid | 256 | Resorption | 702 | Teratology | 147 |
| Patch clamp | 587 | Respiratory arrest | 425 | Testis | 232,398 |
| PCR-RFLP | 455 | Response surface methodology | 72 | Testosterone | 744 |
| Pentylentetrazole-induced seizures | 51 | Restraint stress | 419 | Thioacetamide-induced hepatotoxicity | 875 |
| PEP carboxylase | 735 | Restriction digestion | 455 | Thyroid hormone | 7,398 |
| Pepstatin | 80 | <i>Rhotorula glutinis</i> | 645 | <i>Tinospora cordifolia</i> | 612 |
| Perinatal exposure | 696 | Riboflavin | 677 | Tissue culture | 810 |
| Peroxidative damage | 517 | Root explants | 910 | Toxic chemical from plastics | 425 |
| Phagocytic activity | 270 | Root extract | 419 | Toxic shock syndrome toxin | 677 |
| Phagocytosis | 542 | Rosmarinic acid | 187,817 | Toxicity assays | 65 |
| Phenobarbitone | 862 | Rta | 708 | Toxicity | 645 |
| Phenylalanine | 817 | RXR | 35 | Triacantanol | 729 |
| <i>Phyllanthus amarus</i> | 785 | <i>S. aureus</i> | 677 | <i>Tribulus terrestris</i> | 141 |
| Physiology | 660 | <i>S. vinacendrappus</i> | 559 | <i>Tridax procumbens</i> | 883 |
| Phytopathogenic fungi | 559 | Safoof Mohazzil | 776 | Triphala | 195 |
| <i>Pinus massoniana</i> | 708 | Saponins | 419 | TUNEL | 638,839 |
| Piriform cortex | 755 | Scopolamine | 690 | Type IV collagen | 133 |
| <i>Plagiochila beddomei</i> | 551 | Seabuckthorn leaf extract | 690 | Tyrosine | 817 |
| Plant product | 714 | Secondary metabolites | 551 | | |
| Plantlet regeneration | 164,910 | Secretion | 72 | Unani medicin | 776 |
| Plastic | 497 | Seed-filling | 735 | Urea | 652 |
| <i>Plumeria rubra</i> | 702 | Sensory motor reflexes | 696 | Urolithiasis | 201 |
| Polyclonal sera | 618 | Septic arthritis | 677 | UV irradiation | 497 |
| Polysaccharides | 612 | SERCA | 7 | | |
| Post implantation | 702 | <i>Sesbania sesban</i> | 61 | Vaccine | 239 |
| Postnatal development | 45 | Sexual selection | 156 | van't Hoff enthalpy change | 491 |
| Potassium currents | 587 | Shoaling | 583 | Vascular endothelium dysfunction | 28 |
| pRb phosphorylation | 19 | Shoot buds | 729 | VDR | 35 |
| Proctitis | 195 | <i>Shorea robusta</i> | 277 | Vibration | 223 |
| Prokaryotic expression | 618 | Signal peptide | 72 | Virgin coconut oil | 802 |
| Proliferation | 595 | Skin cancer | 187 | Vit D | 223 |
| Promiscuous | 93 | Small heat shock protein | 826 | | |
| Pro-oxidant solution | 497 | Small intestine | 45 | Wash resistance | 439 |
| Protective effect | 875 | Smooth muscle | 883 | Waste stabilization pond | 300 |
| Protein kinase C | 101 | SNPs | 455 | Waterlogging | 577 |
| <i>Puntius sarana subnasutus</i> | 583 | Social preference | 583 | Waterlogging | 459 |
| Purification optimizations | 256 | Sodium alginate | 785 | Western blotting | 735 |
| | | Sodium butyrate | 19 | Wild <i>Cicer</i> species | 484 |
| Quinazolinones | 247 | Sodium dodecyl sulphate | 847 | <i>Withania somnifera</i> | 484 |
| Radiation protection | 195 | Sodium valproate | 51 | Withasteroids | 484 |
| Radioprotector | 517 | Somatic embryogenesis | 904 | Wound healing | 551 |
| Rapid determination method | 282 | Soybean/sunflower like oil | 502 | Writhing test | 61 |
| Rat model | 867 | <i>Spirulina</i> | 897 | | |
| Rats | 141 | Stable transgene expression | 669 | <i>Zea mays</i> | 577 |
| RB51 | 239 | Staurosporine | 80 | Zeitgeber | 660 |
| | | <i>Streptomyces</i> sp. | 559 | Zta | 708 |