

## ANNUAL INDEX 2010

### Subject Index

2,4,6-trimethylaniline	305	barrier ribs	199
3-Amino-2,4,6-trimethylbenzenesulphonic acid	305	basalt	282
AA 2219	67	base collector diode	34
abrasive carrier	407	battery	123,343
abrasive flow machining	407	bearing	39
abrasive wear	208	bearing strength	39
absorption	145,295,449	bending strength	353
absorption spectra	295	biaxial elongation	13
acetic acid	231	biaxial tensile stresses	13
acetylene	79,349	BiFeO <sub>3</sub>	131,481
acetylene-fuelled engine	79	BiFeO <sub>3</sub> materials	131
activated carbon	327,367,373,382	bimetallic catalyst	327
activated carbon fiber	327	biofuel combustion	243
activation energy	305	biquad filter	99
adiabatic shear band	67	blast furnace slag	179
adsorbent	373,382	blends	243,251
adsorbent dose	373	Bogue formulae	282
adsorption	27,343,367,373,382	bolted joints	39
AFM	407	boron steel	208
agitation time	373	brake	7,79,251
AISI304	49	brake power	7
AK-EDD steel sheet	256	brake power output	7
Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> filler	199	brake thermal efficiency	7,79,251
algorithm	179	brick	140
alloy composition	56	brittleness	414
alloys	56	buckling	86
allpass filter	175	bulging pressure	13
Al-Pb alloys	56	bulk density	282
aluminium	56,67,256	burnability	282
aluminium alloy	67	burst test	67
aluminum matrix	56		
amplifier	99	Cadmium ions	382,373
analog signal processing	175	capacitive properties	343
anilinium	305	capacitors	99
anisotropy	256	capillary	145
annealing	208	capillary water absorption	145
anode material	343	carbon	79,224,317,321,331,327,338,353,367,382
ANOVA	265	carbon based materials	321
aqueous solutions	382	carbon bed	367
argon gas	349	carbon black	353
aromatic compounds	224	carbon dosage	382
artificial neural network	179	carbon foam	338
assembly tolerance	265	carbon granules	382
atomic absorption	224	carbon monolith	353
atomic force microscopy	295	carbon monoxide	79,327
axial compressive strain	13	carbon nanotubes	317,331
		carbonaceous materials	224,343
Band pass	99,131,169,231,295	carbonation	338,449
band pass responses	169	catalyst	327
band-stop	99	cation-doped bismuth ferrites	131
barium zinc borate glass	199	cement	27,140,179,282,289

cement mortar	140	current	99,169
cement paste microstructure	289	current conveyor	169,175
ceramic materials	131	current follower transconductance amplifier	99
ceramic-glass microcomposites	199	current-mode circuit	99
ceramics	49,481	current-mode filter	169
cerium phospho iodate	299	current-mode notch	169
charge-discharge	343	current-mode universal filter	99
chemical bath deposition	295	curvilinear	157
chemical synthesis	131	cutting parameters	463
chemical vapor deposition	349	cutting speed	265
chloride	123	cylindrical panels	86
chloride penetration depth	449		
circuit	99,123	Damage prediction	186
circuit configuration	175	damage-free drilling	265
clamped ends	86	decolorizing power	382
clearance volume	7	deflections	427
clinker	282,289	deformation	67
clinkerization	282	deformation compatibility	13
CNC milling machine	463	degradation	321
coal tar pitch	353	dehydrated ethyl alcohol	243
coarse	179	delamination	186,265
coating density	349	delamination area	186
coating thickness	349	densification behaviour	56
cobalt ferrite particles	363	density	49,256,349,363,449
coercivity	224	design optimization	265
co-impregnation	327	destructive distillation	343
collector	34	DI diesel	251
colpitts oscillator	34	diameter ratio	397
combustion	224,243	die	91
combustion modelling	243	die steel	91
compaction response	56	dielectric	199,299,481
composite plates	186	dielectric constant	199,299
composites	39,157,186,219,265,353,471	dielectric fluid	91
compounds	224	dielectric properties	199, 481
compressibility test	56	diesel	79,243,251
compression ratio	7	diesel CI mode	79
compressive strength	140,282,338,414,449	diesel engine	251
computational fluid dynamics	397	diesel fuel	243
concrete	27,145,179,427	differential Colpitts VCO	34
concrete designing	27	differential VCO	34
concrete structures	427	diffused reflectance	131
conducting polymer	231	dimensional stability	265
conductivity	123	diode	34
contact law	186	discharge	91
contact time	382	discharge characteristics	123
conveyor	169	discharge coefficient	397
coolant	321	discharge gap voltage	91
cooling water flow	79	disodium ethylenediaminetetraacetic acid	295
copper	91,123	dispersion	331
corrosive environment	321	dissimilar thickness	13
covalent character	199	dissolution	27
cracks monitoring	61	distribution system	113
creep	321,449	double lobed cam	251
crystal	61,131,305	drill tool dynamometer	463
crystal structure	131,305	drilling	265
crystallinity	295	DTA	343
crystallite size	481	ductility	414
Cu <sub>4</sub> SnS <sub>4</sub> thin films	295	DVCC	175
Curie temperature	481	DVR	113
Curie-Weiss law	224	dynamic adsorption	367
Curing regime	145	dynamic response	113

dynamic voltage restorer	113	fiber orientation	186
Economic optimization	427	fiber reinforced composites	39
EDAX	299	fill factor	358
edge	20	filter	99,169
edge detection	20	filter configurations	99
efficiency	79	fine aggregate	140,179
E-glass/polyester composites	463	finishing process	407
elastic	157	firing temperature	199
elastic-plastic analysis	157	flexural behavior	414
electric arc discharge	363	flexural properties	331
electrical conductivity	123,299	flexural strength	353
electrical discharge	91	flexural tensile strength	449
electrical discharge machining	91	flexure	427
electrical phases	113	flow rate	79,367,407
electrical properties	481	flowing stress	13
electrical resistivity	27	fluidity	27
electrochemical behavior	343	fly ash	140,145,179
electrode	91	formability	256
electrode materials	91	formic acid	231
electrolyte	123	forming limit diagram	256
electronic properties	358	fossil diesel	243
electronic tuning	99	four-stroke	7
electronically tunable universal filter	99	fractography	331
emission parameters	251	fracture	67
emissions	7,61,79,251	fracture surfaces	67
emulsified asphalt mixture	438	freezing conditions	471
energy	321	frequency	275,299
engine	7,79	frequency response	275
environmental conditions	471	FTIR	123,199,224,299,338,407
epoxy	331	FTIR spectra	123
epoxy matrix	219	FTIR spectroscopy	199
EPR	363	fuel	243
equal energy	186	fuel droplet	243
equal impactor mass	186	fullerene	358
equal velocity	186	Fuzzy approach	105
euclidean distance	20	Ganga water	471
eutectic mixture	477	Gauss quadrature integration	186
exhaust	7	geometric expansion ratio	7
exhaust emissions	7	GFRP	471
expansion engine	7	glass	123,186,199
explosive energy	67	glass electrolyte	123
extended expansion engine	7	glass fibers	39,265
extraction algorithms	20	glass fibre reinforced plastic composites	265
Failure analysis	39	glass/epoxy	186
failure response	39	glass/epoxy laminated composite plates	186
faster switching action	34	grain size	481
fatigue	427	graphene	317,343
faults	113	graphite	91
feature vectors	20	graphite electrode	91
feed concentration	367	green coke	353
feed rate	265,463	grounded capacitors	99,169,175
FEM	157	grounded resistor	99
ferrimagnetic	224	group method data handling	179
ferroelectric	481	gypsum	289
ferromagnetic	224	HCCI	79
ferromagnetic amorphous carbon	224	heat affected zone	91
ferromagnetism	224	heat transfer	349
FESEM studies	331	heat treatment cycle	208
fiber	39,186,219	Hecker's method	256

Heuristics	427	low velocity impact	186
high input impedance	175	low-molecular weight aromatic compounds	224
high temperature nuclear reactors	321	low-pass	99
high-pass	99	low-pass filters	175
highpass filters	175	low-pass responses	169
high-performance concrete	179		
hotspot detection	20	Machining processes	265
HSS twist drills	463	magnesium	123
hydration	145,282,289	magnetic carbon nanofoam composites	363
hydraulic loading rates	367	magnetic properties	131
hydro-bugling	13	magnetization	224
hydrocarbon	7,79	manifold injection	7
hydrocarbon emissions	7	masonry	140
hydrochloric acid	373	mass spectrometry	305
hydroforming	13	mass transfer	349
hydrogen	321	mass transfer resistance	327
		material removal	91,407
Ignition delay	243	material removal rate	91
immiscibility gap	56	MATLAB/SIMULINK	113
impact loading	186	maximum tensile steel ratio	414
impedance	175	mechanical properties	145,321
indium tin oxide glass substrate	295	mechanoluminescence	61
infrared.	305	melt	123
InGaP/GaAs HBT transistors	27	melt quenching technique	123
InGaP/GaAs HBT VCO	34	melting	67
injection	7	metal	49,123
inlet valve closure timing	7	metal chloride	123
instability	256	metal ion concentration	373,382
intake	79	metal ions	373
intake charge temperatures	79	metal removal rate	91
intercritical annealing	208	metallurgical structures	49
intermolecular H-bonds	305	metallurgy	49
inverter	113	metals	20,256
iodine number	382	microstructural analysis	91
ion conducting glasses	123	microstructure	289
ion-exchange	382	microwave	305
ions	123,305	microwave oven	373
IR spectra	282	milling route	56
irradiation	321	mineral admixture	145
isostatic pressing	49	mineralizer	282
isothermal thermogravimetry	305	mineralogical phases	282
isotherms	382	MMIC VCO	34
		MOCCIs	169
Kerosene oil	91,471	modulus of elasticity	449
kerosene porosity	338	moisture content	382
kinetic	382	molecule	305
		morphological	56
Laminated plates	39	morphological properties	295
Lantana-Camara fiber	219	morphology	331,343
lead	123	mortar	140
light pulses	61	motor fuel	243
lightweight concrete	145	multi-component droplets	243
lignosulphonate (LS) superplasticizer	27	multi-component effects	243
lime	282	multiferroic	481
limestone	289	multiple holes	157
liquid sintering theory	49	MWCNTs	331
lithium	123,343		
lithium batteries	343	Na <sub>2</sub> EDTA	295
load	61,79	nano silicon carbide	353
load range	79	nanocomposites	317,331
low phase noise VCO	34	nanocrystal	477

nano-crystalline	363	photocatalytic properties	131
nanodevices	477	phthalocyanine	358
nano-electronic devices	317	pin-on-disc machine abrasive wear	219
nanomaterials	477	plasma display panels	199
nanoparticles	299, 327	plastic	157
nanostructured materials	477	plastic deformation regularity	13
naphthalene	224	plastic strain ratio	256
neem oilcake	373	plate thickness	397
network reconfiguration	105	ply orientations	39
neural networks	438	point angle	463
neutron	321	polyanilines	231
neutron irradiation	321	polycrystalline	481
Newton-Raphson method	186	polymer	219,331,407
nickel ions	373	polymer composites	331
nickel oxide	477	polymer matrix	219,331
NiO nano crystals	477	polymer matrix composite	219,471
nitrate eutectic melt	477	polymeric foams	338
nitric oxides	7,79	polymerization	231
nitric oxides emissions	7	porogen	343
N-methyl-2-pyrrolidone	231	porosity	56,282,289,338,353,382
noise	34	Portland cement	145,252,438
non-destructive testing	20	Portland cement clinker	282
non-metallic materials	338	post-buckling	86
NO <sub>x</sub>	251	powder	49,56,
nuclear reactors	321	powder complexes	56
		powder metallurgy	49,56
On-line welding system	20	Powders-solid state reaction	199
open circuit voltage	123,358	power	7,113
optical band gap	299	power electronics device	113
optical basicity	199	power output	7
optical microscopy	91	power quality	113
optical properties	131,295	pozzolanic materials	145
optimal capacitor	105	precursor	349
organic compounds	224	preload	39
organic photovoltaic	358	pressure	275,407
orientation distribution function	256	pristine	331
orificemeter	397	propionic acid	231
orthogonal array	265	proportional pressure reducing valve	275
orthorhombic structure	295	proton	305
oscillation frequency	34	proton transfer	305
oscillator	34	Pt-Ru alloyed nanoparticles	327
oxides	131	pulse	145
oxygenated compound blends	251	pulse duration	91
oxygenated diesel fuel blends	243	pulse velocity	145
		pumice	145
Paraelectric transition	481	punch stretching	256
parallel feeders	113	pyrocarbon coating	349
partial replacement	140	pyrolysis	373
part-load	7	pyrolyzed carbon	343
Pb(II) ions	367		
peak and hold method	275	Quasi-stationary	243
peak current	91	quasi-stationary combustion	243
penetration	20	quenching	123,208
penetration depth	20		
performance early prediction	449	Radial direction	157
phase	34	radial distribution networks	105
phase noise	34	radial stress components	157
phenol number	382	rapeseed oil methyl ester	243
phosphoric acid	382	RC beam	414
phosphorylated tamarind nut carbon	382	reactive power compensation	105
photocatalytic activity	131	reactors	321

reconfigured network	105	solvents	231
recycled aggregates	449	sorona	343
region growing	20	sorptivity	145
regression analysis	179,438	sorptivity coefficient	145
reinforced concrete	427	Spanish code	427
relative density	49	spark-ignition	7
residual stresses	157	spark-ignition engine	7
resilient modulus	438	spherically symmetric combustion	243
resin	338	spindle speed	463
resistivity	27	split injection	251
resistors	99,175	splitting	449
response surface methodology	463	spouted bed reactor	349
reversed cooling water flow	79	spouting gas velocity	349
Reynolds number	397	SQUID measurements	131
rheological studies	331	stacking sequences	186
rietveld refinement techniques	131	steel	91,157,256
road frame bridges	427	steel fibers	157
roughness measurement	256	steel sheet	256
		strain	13,67,414
Safety issue	317	strain rate	67
SAXS	363	stress-strain analysis	13
Schulze back reflection technique	256	structural concrete	449
scleroscopic hardness	353	structural design	427
sector angle	86	structural integrity reduction	265
selective laser sintering	49	structural properties	295,481
SEM	67,91,199,219,224,299,243,338,382,477	sulphate ions	305
SEM micrograph	199,481	sulphuric acid	305
semiconducting material	295	superficial moisture	343
sensors	317	superplasticizer	27,179
shear	427	surface area	67,91,382,343
shear band	67	surface finish	407
shear deformation	67	surface integrity	91
short circuit current density	358	surface morphologies	219,299,338
shot peening	208	surface roughness	91
shot peening intensity	208	sustainable materials	449
shrinkage	449	switching	34
signal-to-noise (S/N) ratio	265		
silica fume	145	Taguchi method	265
silicon	353	Tailor-welded tube	13
silver	123	Tamarind nuts	382
silver phosphate glass	123	tangential	157
Simulink models	275	tank circuit	34
single crystal X-ray diffraction	305	TEM	224,363
single injection	251	temperature	67,79,305,338
single-cylinder	7,79	temperature sensitivity	338
single-phase distribution system	113	tempering	208
sintering	49	template	338
sintering temperature	481	tensile steel ratio	414
sliding bearing materials	56	tensile strength	471
sliding mode control	113	tensile test	256
slump	179	texture	256
smoke	79	TGA	331,338,343,407
smoke emissions	79	TG-DSC	305
SNF superplasticizer	27	thermal efficiency	79
soaking time	282	thermal expansion	157,199
sodium	123	thermal loads	157
solar cells	295	thermal properties	199,321
sol-gel method	131,481	thermal stability	331,338
solid electrolytes	123	thermal stresses	157
solid state battery	123	thermographs	20
solvatochromic shift	231	thermoplastic composite disc	157

thermosetting phenolic resin	338	velocity	145
thickness effect	186	viscosity	407
thin films	295	volcanic pumice	145
thinning ratio	13	voltage	91,99,123
throttle operation	7	voltage controlled oscillator	34
thrust force	463	voltage profile	105
toluene	224	voltage sag	113
tool	91,265	voltage-mode circuit	99
tool electrode	91	volumetric efficiency	7
tool geometry	265	VSM	363
torque	463	wastewater	382,373
toxic metals	373	water	145,179,282,305,321,449
toxicity	317	water absorption	145,449
transconductance	99	water flow	79
transference	123	water molecule	305
transimpedance	169	water splitting process	321
transimpedance-mode filter	169	wear	219
transistors	27	wear rate	208
tribological performance	56	weight fraction	219
tungsten inclusion	20	weld monitoring	20
two-stage methodology	105	welding	20
Ultra-high-strength-concrete	414	welding process	20
ultrasonic	145	weld-seam movement	13
ultrasonic pulse velocity	145	Wolborska model	367
ultrasonication process	331	work piece surfaces	91
unburned hydrocarbon emissions	7	work-hardening	13
universal biquadratic filter	169	XPS technique	331
universal filter	99	X-ray diffraction	123,199,282,295,299,305,343,363,477,481
UV techniques	299	Yoon-Nelson model	367
UV-visible spectrophotometer	231,295	Zirconia particles	349
valve	275		
variable valve system	275		
vectors	20		